

# **LIBCDVD 1.15**

## **Reference Manual**

**Filing System Research & Code**  
by A. Lee (aka Hiryu)

**RPC Interface Code**  
by A. Lee (aka Hiryu)  
and Nicholas Van-Veen (aka Sjeep)

**Reference Manual**  
by A. Lee (aka Hiryu)

**Copyright (c) 2002, A. Lee & Nicholas Van Veen  
All rights reserved.**

Redistribution and use of this software, in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. You are granted a license to use this software for academic, research and non-commercial purposes only.
4. The copyright holder imposes no restrictions on any code developed using this software. However, the copyright holder retains a non-exclusive royalty-free license to any modifications to the distribution made by the licensee.
5. Any licensee wishing to make commercial use of this software should contact the copyright holder to execute the appropriate license for such commercial use

Commercial use includes: -

- Integration of all or part of the source code into a product for sale or commercial license by or on behalf of Licensee to third parties, or
- Distribution of the binary code or source code to third parties that need it to utilize a commercial product sold or licensed by or on behalf of Licensee.

**This software is provided by the author “as is” and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed. In no event shall the author be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services, loss of use, data, or profits, or business interruption) however caused, and of any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of this software, even if advised of the possibility of such damage.**

## Table of Contents

|                                |           |
|--------------------------------|-----------|
| <b>Introduction</b>            | <b>5</b>  |
| <b>Filing System Interface</b> | <b>6</b>  |
| <b>RPC Function Reference</b>  | <b>7</b>  |
| <b>Structures</b>              | <b>7</b>  |
| <b>CDVD_Init</b>               | <b>8</b>  |
| <b>CDVD_DiskReady</b>          | <b>9</b>  |
| <b>CDVD_FindFile</b>           | <b>10</b> |
| <b>CDVD_Stop</b>               | <b>11</b> |
| <b>CDVD_TrayReq</b>            | <b>12</b> |
| <b>CDVD_GetDir</b>             | <b>13</b> |
| <b>CDVD_FlushCache</b>         | <b>14</b> |

## Revision History

| Version | Comment   |
|---------|---|
| 1.00    | First public release  |
| 1.10    | Major reading speedups, and directory caching, and more   |
| 1.11    | Fixed bug incorrectly handling the first entry of the root directory as a parent dir  |
| 1.12    | Fixed potential cache problem (thanks Nick)   |
| 1.13    | Added FlushCache function to allow reading from multiple CDs  |
| 1.15    | Fixed an issue with CDs with filenames without ISO file version extension.<br>Capitalised CDVD_GetDir function name for consistency.<br>Changed EE lib name to libcdvdfs.a to avoid clash with ps2lib.<br>Included more comprehensive example that uses gsLib for screen display. |



# Introduction

The disc filing system provided by the PS2 kernel only provides strict ISO Level 1 filing system support. This imposes a number of heavy restrictions: -

- 8.3 character filenames (no long filename support)
- Upper case filenames only (no mixed case filenames)
- Maximum of 31 files/sub-directories in each directory
- 255 char max path length
- Maximum of path depth of 8 directories

Libcdvd lifts these restrictions by providing full support for the following filing systems: -

- ISO Level 1 (relaxed)  
8.3 character filenames (upper-case only)  
1024 char max path length  
Max path depth restriction lifted
- ISO Level 2 (relaxed)  
Up to 31 character filenames (upper-case only)  
1024 character max path length  
Max path depth restriction lifted
- Joliet  
Up to 63 character filenames  
Mixed case filenames  
1024 character max path length  
No path depth restriction (except by path length)
- UDF  
Up to 128 character filenames (upper-case only)  
1024 character max path length  
No path depth restriction (except by path length)

This filing system can be used as a 100% replacement for the existing kernel filing system, and provided additional functionality via an RPC interface.

Since Joliet and UDF discs also contain ISO Level 1 volume descriptors and directory tables it is possible to create a Joliet or UDF disc which is bootable, as long as the SYSTEM.CNF file, the main executable code, and this IRX all have valid 8.3 filenames. (The SYSTEM.CNF specifies the ELF which is loaded by the kernel, and the ELF then loads the libcdvd IRX before loading any files using long filenames)

All information used in the development of this filing system module was gathered without documentation of any kind, and was cleanly 'reverse engineered' using only CD/DVD images as examples.

## Filing System Interface

This filing system module provides a standard PS2 filing system interface which can be used with any existing file I/O routines (that work with the kernels CD/DVD filing system).

Rather than replacing the existing **cdrom:** device provided by the kernel filing system, this module provides a **cdfs:** device so that, if required, both filing systems can be used in parallel (although this module provides all the functionality provided by the kernel filing system, and more).

This means that to load a open a file from a CD using this filing system you would do: -  
`open("cdfs:/My Directory/My Filename.ext", O_RDONLY);`  
or the equivalent using your file I/O functions.

(note that before using the cdfs: filing system it is necessary to load the IRX, and call the `CDVD_Init()` function provided)

# RPC Function Reference

The following section details the functions provided by Libcdvd that provide extra functionality beyond the basic operations of the standard PS2 file I/O interface.

These functions access the module via the RPC interface but full source and header files are included so that these can be easily used within your code.

## Structures

Only one public structure is provided by Libcdvd.

This structure is used by the CDVD\_FindFile and CDVD\_GetDir functions, to return information describing a directory entry (or a number of directory entries)

```
struct TocEntry
{
    u32    fileLBA;
    u32    fileSize;
    u8     fileProperties;
    u8     padding1[3];
    u8     filename[128+1];
    u8     padding2[3];
} __attribute__((packed));
```

**'fileLBA'** is the Logical Block Address (or sector) location of the file on disk

**'fileSize'** is the size of the file in bytes

**'fileProperties'** is the ISO file properties (described below)

**'filename'** is the name of the file (Unicode filenames are pre-converted to ascii)

The **'fileProperties'** field may contain the following bit definitions:

| Bit | Description   |
|-----|---|
| 0   | Hidden File – If set then the directory element is hidden                             |
| 1   | Directory – If set then the directory element is a sub-directory (rather than a file) |
| 2   | Not Used  |
| 3   | Not Used  |
| 4   | Not Used  |
| 5   | Not Used  |
| 6   | Not Used  |
| 7   | Not Used  |

## ***CDVD\_Init***

int CDVD\_Init()

### **Description:**

This function initialises the filing system module ready for use. This must be called before using either the cdfs: filing system device, or using the extended RPC functionality.



## ***CDVD\_DiskReady***

```
int CDVD_DiskReady(  
    int mode          // Define whether to return current state, or to wait for disk  
    ready  
)
```

### **Description:**

This function returns the readiness state of the drive and filing system.

‘**mode**’ can be set to one of the following values:

#### **CdBlock**

The function will block until the drive is ready.

#### **CdNonBlock**

The function will return immediatelv with the current state.

This function can return the following values:

#### **CdComplete**

The drive is ready to be used for file I/O.

#### **CdNotReady**

The drive is not readv to be used for file I/O.

## ***CDVD\_FindFile***

```
int CDVD_FindFile(  
    char* fname,           // Case insensitive filename to find  
    struct TocEntry* tocEntry // Pointer to a TocEntry structure to fill  
)
```

### **Description:**

This function is used to find a file of known filename, but unknown filename case.

i.e.: you know what the file (or directory) name should be, but don't know whether the filename is upper-case or lower-case or a mixture of both.

It can also be used to return the additional information provided by the TocEntry structure (i.e.: file size, and file properties etc).

**'fname'** should contain the (case-insensitive) filename of the file to be found (including full path)

**'tocEntry'** should contain a pointer to a TocEntry structure to be filled.

This function will return TRUE if a matching file is found, or FALSE if no matching file is found.

## ***CDVD\_Stop***

void CDVD\_Stop()

### **Description:**

This function will stop the motor of the disc drive. (Mostly to make the damn thing quieter).

This will interrupt any current background file I/O operations.

It will also mean that any subsequent file I/O operations will have to wait for the drive to spin up to speed again before they can proceed.

## ***CDVD\_TrayReq***

```
int CDVD_TrayReq(  
    int mode  
)
```

### **Description:**

This function is used to open or close the drive tray, or to request the current state of the tray.

‘**mode**’ can be set to one of the following values:

#### **CdTrayOpen**

Open the drive tray (and return the state after the operation)

#### **CdTrayClose**

Close the drive tray (and return the state after the operation)

#### **CdTrayCheck**

Request the current state of the drive tray (without opening or closing it)

This function can return the following values:

#### **CdTrayOpen**

The drive tray is currently open

#### **CdTrayClose**

The drive tray is currently closed

## ***CDVD\_GetDir***

```
int CDVD_GetDir(  
    const char* pathname,           // Pathname to retrieve file entries from  
    const char* extensions,         // List of file extensions to retrieve file entries of  
    struct TocEntry tocEntry[],     // Array of TocEntry structures to fill  
    unsigned int req_entries,       // Max number of entries to return  
    char* new_pathname              // updated pathname  
)
```

### **Description:**

This function returns the directory entries (files and sub-directories) within the specified path. An optional (white-space separated) list of file-extensions can be specified. If a list is provided then only files with matching extensions will be returned.

**'pathname'** should contain the pathname of the directory to be retrieved. This may be a const string, but if it is a changeable string (as preferred) then the same string should also be specified as the **'new\_pathname'** parameter so that it may be updated to the absolute path when navigating through directories using **".."** parent pointers

**'extensions'** may contain a white-space separate list of file extensions (including the dot separator) of files to include in the returned list. If no list is provided (the parameter is NULL) then all directory entries (up to **'req\_entries'**) will be returned.

**'tocEntry'** should contain a pointer to an array of TocEntry structures to be filled (this array must contain at least the number of elements specified by **'req\_entries'** for safe operation).

**'req\_entries'** contains the maximum number of directory entries to return in the **'tocEntry'** array (typically this number should be the same as the number of elements in the **'tocEntry'** array).

**'new\_pathname'** should point to a string to be updated with the absolute path which has been retrieved. For example, when this function is used for navigating through directories and the user selects the **".."** entry to go up a level, then this string is updated with the new absolute path. This pointer may be NULL if the specified pathname is const, and you are only trying to retrieve a fixed directory path.

The function will return the number of directory entries retrieved and stored in the **'tocEntry'** array.

## ***CDVD\_FlushCache***

void CDVD\_FlushCache()

### **Description:**

This function flushes the cached CD contents. This is needed if you wish to allow reading from multiple CDs or DVDs.

The function **MUST** be called after changing the CD or DVD and before calling any other functions.

Remember that this will still only allow you to read from a CD that is 'authorised'. It will not allow the reading of CDRs or DVDRs on an unmodified PS2 console.